


WAVASORB® AN

Laminated Broadband Flexible Flat Foam Absorber

- WAVASORB® AN is a series of lightweight, flat, flexible, foam absorbers.
- Consisting of a multilayer structure with different graded layers
- Designed to obtain a broadband reflectivity level at microwave frequencies of typically better than -17dB of normal incident energy relative to a metal background



WAVASORB® AN



Installation Methods

WAVASORB® AN is bonded to metallic surfaces using WAVASORB® Adhesive 13111. For easy exchange, modular installation techniques are available using Velcro fasteners to achieve perfect geometry and alignment compatibility with any type of shielding.

It can be easily cut on a band saw, with scissors, or a sharp knife

Slicing off part of the thickness will degrade the overall performance


Not intend for outdoor use as humidity will reduce its RF-performance and lifetime

Following types of protection with different colours are available:

- Standard PU Painting
- Protected with a special coated fabric for semi-outdoor applications
- Sealed using a specific PVC fabric for use in harsh environment

Applications

- Lining of the inside of small test boxes to reduce reflection
- Around antennas for reducing the crosstalk between adjacent antennas
- To improve the antenna patterns and back- and sidelobes
- Reduction of radar cross section from masts and other metal structures



WAVASORB® AN




Characteristics

Standard Color	Blue (contrast colors available on request)
Operation Temperature	+5°C to +35°C
Frequency Range	Starting from 800 MHz
Typical Power Handling	0.15 W/cm ²
Quality Control	IEEE Standard 1128 ISO 9001

Physical & Electromagnetic Properties

	Thickness (cm)	Nominal Weight (kg)	Reflectivity Level (dB)
WAVASORB® AN-72	0.6	0.25	-17 dB @ 20 GHz
WAVASORB® AN-73	1.0	0.40	-17 dB @ 7.5 GHz
WAVASORB® AN-74	1.9	0.70	-17 dB @ 3.5 GHz
WAVASORB® AN-75	2.9	0.80	-17 dB @ 2.4 GHz
WAVASORB® AN-77	5.7	1.50	-17 dB @ 1.2 GHz
WAVASORB® AN-79	11.4	3.00	-17 dB @ 0.8 GHz

Standard Footprint: 61 x 61 cm





BEST RESULTS FOR
PIONEERING SUCCESS
think global



www.ecanechoicchambers.com

■
E&C Anechoic Chambers NV
Nijverheidsstraat 7A
B-2260 Westerlo
Belgium

Tel.: +32 14 59 58 00
Fax: +32 14 59 58 01

info@ecanechoicchambers.com
www.ecanechoicchambers.com

■
Albatross Projects RF Technology
India Pvt. Ltd
312, Siddhraj Zori, Near Sargasan Cross, KH-0,
Off S.G. Highway
Gandhinagar, 382421
India

Tel.: +91 97 3737 9537
Fax: +91 79 2975 0780

info@albatross-projects.in
www.albatross-projects.de

■
E&C Anechoic Chambers Asia Ltd
Flat/Rm 303, 3/F St. George's Bldg
2 Ice House Street, Central
Hong Kong

Tel.: +852 3972 2173
Fax: +852 3972 2211

jtsang@ecanechoicchambers.com
www.ecanechoicchambers.com

■
Albatross Projects RF Technology
(Shanghai) Co., Ltd.
Block 35, No. 100 Baise Road
Inside Grand Skylight Gardens Hotel
200231 Shanghai
P.R. China

Tel.: +86 21 6434 1110
Fax: +86 21 6434 7800

info@albatross-projects.com.cn
www.albatross-projects.com.cn

■
Albatross Projects GmbH
Daimlerstrasse 17
89564 Nattheim
Germany

Tel.: +49 7321 730 500
Fax: +49 7321 730 590

info@albatross-projects.com
www.albatross-projects.com

■
AP Americas Inc.
8101 Ridgepoint Drive, Suite 107
Irving, TX 75063
USA

Tel.: +1 972 295 9100
Fax: +1 972 810 3223

info@apamericas.com
www.apamericas.com

Safety Considerations: It is recommended to consult the E&C ANECHOIC CHAMBERS product literature, including material safety data sheets, prior to use E&C ANECHOIC CHAMBERS products. These may be obtained from your local sales office.

Warranty: Values shown are based on testing of laboratory test specimens and represent data that falls within the normal range of properties of the material. These values are not intended for use in establishing maximum, minimum or ranges of values for specification purposes. Any determination of the suitability of the material or any use contemplated by the user and the manner of such use is the sole responsibility of the user who must assure that the material as subsequently processed meets the needs of this particular product or use.

We hope the information given here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the user's consideration, investigation and verification but we do not warrant the results to be obtained. Please read all statements, recommendations or suggestions in conjunction with our conditions of sale INCLUDING THOSE LIMITING WARRANTIES AND REMEDIES which apply to all goods supplied by us. We assume no responsibility for the use of these statements, recommendations or suggestions nor do we intend them as a recommendation for any use which would infringe any patent or copyright.